


Standard Glands with Thread, Brass



Thread Type **NPT** acc. to ANSI B1.20.1

Size	Clamping Range Ø min-max		Thread Length TL		Thread Ø TD		Spanner Width				Outer Ø D		max. Height H		Part Number	Packing Unit
	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch		
NPT 3/8"	2,0 - 6,0	0,079 - 0,236	11,5	0,453	17,14	0,673	17	0,669	19	0,748	21,0	0,827	23,0	0,906	BNBD-01 BNBD-01S BNBC-01 BNBC-01S	50
	3,0 - 7,0	0,118 - 0,276					20	0,787	20	0,787	22,0	0,866	29,5	1,161		
	4,0 - 8,0	0,157 - 0,315					17	0,669	19	0,748	21,0	0,827	23,0	0,906		
	5,0 - 10,0	0,197 - 0,394					20	0,787	20	0,787	22,0	0,866	29,5	1,161		
NPT 1/2"	5,0 - 9,0	0,197 - 0,354	13,0	0,512	21,34	0,839	22	0,866	22	0,866	24,5	0,965	25,5	1,004	BNBD-02 BNBC-02 BNBD-02S BNBC-02S	50
	6,0 - 12,0	0,236 - 0,472					24	0,945	24	0,945	26,8	1,055	28,0	1,102		
	7,0 - 12,0	0,276 - 0,472					10,0 - 14,0	0,394 - 0,551	30	1,181	30	1,181	33,0	1,299		
NPT 3/4"	9,0 - 16,0	0,354 - 0,630	13,0	0,512	26,67	1,051	30	1,181	30	1,181	33,0	1,299	35,5	1,398	BNBD-03 BNBC-03	25
	13,0 - 18,0	0,512 - 0,709					40	1,575	43	1,693	48,5	1,909	43,0	1,693		
NPT 1"	12,0 - 20,0	0,472 - 0,787	13,0	0,512	33,4,0	1,315	40	1,575	43	1,693	48,5	1,909	43,0	1,693	BNBD-04 BNBC-04	10
	18,0 - 25,0	0,709 - 0,984														

Thread Type **PG** acc. to DIN 40430

Size	Clamping Range Ø min-max mm	Thread Length TL mm	Thread Ø TD mm	Spanner Width SW Cap mm	Spanner Width SW Body mm	Outer Ø D mm	max. Height H mm	Part Number	Packing Unit
PG 7	2,0 - 5,0	6,0	12,5	14	14	15,5	22,0	BSBD-01	50
		10,0						BSBE-01R BSBC-01 BSBE-01	
PG 9	3,0 - 6,5	6,0	15,2	17	17	18,9	23,5	BSBD-02	50
		10,0						BSBE-02R BSBC-02 BSBE-02	
		10,0						BSBD-03 BSBE-03R BSBC-03 BSBE-03	
PG 11	3,0 - 7,0	6,0	18,6	20	20	22,0	26,0	BSBD-04	50
		10,0						BSBE-04R BSBC-04 BSBE-04	
		10,0						BSBD-05 BSBE-05R BSBC-05 BSBE-05	
PG 13,5	5,0 - 9,0	6,5	20,4	22	22	24,5	24,5	BSBD-06	50
		10,0						BSBE-06R BSBC-06 BSBE-06	
		10,0						BSBD-07 BSBE-07R BSBC-07 BSBE-07	
PG 16	7,0 - 12,0	6,5	22,5	24	24	26,5	28,0	BSBD-08	25
		10,0						BSBE-08R BSBC-08 BSBE-08	
		10,0						BSBD-09 BSBE-09R BSBC-09 BSBE-09	
PG 21	9,0 - 16,0	7,2	28,3	30	30	33,0	32,5	BSBD-10	25
		12,0						BSBE-10R BSBC-10 BSBE-10	
		12,0						BSBD-11 BSBE-11R BSBC-11 BSBE-11	
PG 29	12,0 - 20,0	8,0	37,0	40	40	44,5	38,5	BSBD-12	10
		12,0						BSBE-12R BSBC-12 BSBE-12	
		12,0						BSBD-13 BSBE-13R BSBC-13 BSBE-13	
PG 36	20,0 - 26,0	9,0	47,0	50	50	55,5	48,0	BSBD-14	5
		14,0						BSBE-14R BSBC-14 BSBE-14	
		14,0						BSBD-15 BSBE-15R BSBC-15 BSBE-15	
PG 42	25,0 - 31,0	12,0	54,0	58	58	64,0	48,5	BSBD-16	5
		16,0						BSBE-16R BSBC-16 BSBE-16	
		16,0						BSBD-17 BSBE-17R BSBC-17 BSBE-17	
PG 48	29,0 - 35,0	14,0	59,3	64	64	70,0	53,0	BSBD-18	5
		18,0						BSBE-18R BSBC-18 BSBE-18	
		18,0						BSBD-19 BSBE-19R BSBC-19 BSBE-19	
PG 48	34,0 - 44,0	14,0	59,3	64	64	70,0	53,0	BSBD-20	5
		18,0						BSBE-20R BSBC-20 BSBE-20	